

RK-DVX2U-A

8-PORT DUAL DVI-D, AUDIO
AND USB 1.1 EXTENDER FAMILY



8-Port Dual DVI-D, Audio and USB 1.1 Extender

Extends up to 225 feet over STP Cable

The RK-DVX2U-A consolidates multiple DVX2U-A DVI-D/Audio/USB extenders into one manageable rack-mountable solution.



Made in the USA

Smart-AVI
SMART AUDIO VIDEO INNOVATION

www.smartavi.com

FEATURES

The RK-DVX2U-A is the perfect solution for extending dual DVI-D displays, Audio and USB 1.1 devices to a remote location up to 225 feet away. It is the ideal way to consolidate up to 8 workstation computers into one location. The RK-DVX2U-A features dual DVI-D extension up to 225 feet over STP. It is fully compatible with MAC, PC and LINUX DVI standards.

The RK-DVX2U-A features transparent USB 1.1 signal extension, with full support for all USB 1.1 devices and an integrated 4-port hub in the receiver. Flash Drives, Printers, Cameras, Scanners, etc. may all be used with the RK-DVX2U-A.

- Supports up to 2 DVI-D single-link sources
- Supports Mac, PC, and Linux DVI
- Supports High Resolution 1920x1200 60Hz WUXGA
- Distance: 225 feet with four CAT6 STP cables
- Uses universal DVI Single Link connectors
- Zero pixel loss with TMDS signal correction
- DDC from internal table for Mac/PC
- Supports all USB 1.1 Devices Transparently (Flash Drives, Printers, etc.)
- Supports USB 1.1 keyboard and mouse
- Compatible with all operating systems
- Compatible with all major KVM switches
- Rack Mountable Solution
- Data recovery for digital video
- Supports 1.5 and 12Mbps data rates
- Plug-and-play



RK-DVX2U-A Rear



DVX2P-RX

The RK-DVX2U-A is designed to work in conjunction with the DVX2P-RX receiver unit. Up to 8 receivers may be used with the RK-DVX2U-A, depending on the application.



APPLICATIONS

MEDICAL FIELD


In the medical field where sensitive electronic devices are used, isolating workstation computers can be a matter of safety. The RK-DVX2U-A allows the workstation computers to be housed in a central location, away from sensitive devices.

INDUSTRIAL WORK AREAS

In industrial work areas that may be too harsh for a workstation computer, the RK-DVX2U-A can consolidate the computers into a safe location.

DIGITAL SIGNAGE

When it comes to Digital Signage, the RK-DVX2U is an excellent deployment option. With the RK-DXV2U-A, up to 8 digital signage devices can be centralized and secured from public access.



INFORMATION KIOSKS/DISPLAYS

As with most information booths and kiosks, there is a risk of damage or theft. The RK-DVX2U-A is the best way to secure computer hardware, by consolidating it to a secure location away from public access.

FILM/MUSIC RECORDING STUDIOS

When recording with sensitive cameras and microphones, computers are often too noisy to be used in the immediate vicinity. The RK-DVX2U-A isolates the computers into another room, maintaining the silence that recording artists require.

SPECIFICATIONS

VIDEO	
Format	DVI-D Single Line
Maximum Pixel Clock	165 MHz
Input Interface (TX)	8 x (2) DVI-D 29-pin female
Output Interface (RX)	(2) DVI-D 29-pin female
Resolution	Up to 1920 x 1200 @60Hz
DDC	5 volts p-p(TTL)
Input Equalization	Automatic
Input Cable Length	Up to 20 ft.
Output Cable Length	Up to 20 ft.
AUDIO	
Frequency Response	20 Hz to 20 KHz
Impedance	600 ohm
Nominal Level	0-1.0 V
Common Mode	Rejection at 60dB
Input Interface	(1) 3.5 mm Stereo Audio
Output Interface	(1) 3.5 mm Stereo Audio

USB	
Signal Type	USB 1.1
Input Interface (TX)	8 x (1) USB Type B (Female)
Output Interface (RX)	(4) USB Type A (Female)
OTHER	
Power	Internal 110-240 VAC
Dimensions	17 in W x 8.5 in H x 3.25 in D
Weight	10 lb
Operating Temp.	0-55 °C (32-131°F)
Storage Temp.	-20-85 °C (-4-185 °F)
Humidity	Up to 95%

ORDERING INFORMATION	
Part No.	Description
RK-DVX2U-A-TX4S	Powered Rack/Chassis with DVI/Audio/USB Transmitter, 4 Card Package. Includes: [RK-DVX2U-A-TX4 and CCPWR06]
RK-DVX2U-A-TX8S	Powered Rack/Chassis with DVI/Audio/USB CAT5 Transmitter, 8 Card Package. Includes: [RK-DVX2U-A-TX8 and CCPWR06]
DVX2P-RX	2 DVI-D, Audio, USB and RS232 over CAT6 STP Extender Receiver. [DVX2P-RX and PS5VD4A]

Many leading companies have recognized and embraced the innovation of SmartAVI's technologies and have successfully incorporated them into their organizations. Clients of SmartAVI include:



SmartAVI, Inc. / Twitter: [smartavi](#) - 11651 Vanowen St. North Hollywood, CA 91605
 Tel: (818) 503-6200 Fax: (818) 503-6208 - <http://www.SmartAVI.com>



Made in the USA

Smart-*AVI*
 SMART AUDIO VIDEO INNOVATION

www.smartavi.com